

For TWDB use only  
Well No. 60-21-4J  
Located on map YES  
Received: 25  
26

1) OWNER: ~~xxx~~ xxx. Scarborough, C.J. Address Southwood Dr. Huntsville, Texas  
 Person having well drilled ~~xxx~~ (Name) (Street or RFD) (City) (State)  
 Landowner same Address  
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
 County Walker, 3 miles in S.E. direction from Huntsville  
 (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks,  
 hiway number, etc.

(Use reverse side if necessary)

or

Give legal location with distances and directions from  
 adjacent sections or survey lines.

Labor \_\_\_\_\_ League \_\_\_\_\_

Block \_\_\_\_\_ Survey \_\_\_\_\_

Abstract No. \_\_\_\_\_

(NW $\frac{1}{4}$  NE $\frac{1}{4}$  SW $\frac{1}{4}$  SE $\frac{1}{4}$ ) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):	4) PROPOSED USE (Check):	5) TYPE OF WELL (Check):
<del>New Well</del> Deepening	<del>Domestic</del> Industrial Municipal	<del>Rotary</del> Driven Dug
Reconditioning Plugging	Irrigation Test Well Other	Cable Jetted Bored

6) WELL LOG: Diameter of hole 6 $\frac{1}{2}$  in. Depth drilled 514 ft. Depth of completed well 514 ft. Date drilled 10-30-74  
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material	9) Casing:				
0-42		red clay	Type: Old	<u>New</u>	Steel	<u>Plastic</u>	Other
42-62		white clay	Cemented from	350	ft. to	490	ft.
62- 82		white sand	Diameter (inches)	Setting From (ft.) To (ft.)		Gage	
82-184		white clay	4	+1	490	sch. 40	
184-202		sand					
202- 330		white clay					
330- 345		brown clay	10) SCREEN: stainless steel				
345-382		sand (fine)	Type				
382-482		sandy clay	Perforated	<u>Slotted</u>			
482-514		sand (med.)	Diameter (inches)	Setting From (ft.) To (ft.)		Slot Size	
			2 1/2	496	514	#6	

(Use reverse side if necessary)	
<p>7) COMPLETION (Check):</p> <p><del>Straight well</del>      Gravel packed      Other</p> <p>Under reamed      Open Hole</p>	<p>11) WELL TESTS:</p> <p>Was a pump test made?      Yes      <del>X</del> No      If yes, by whom?</p> <hr/> <p>Yield: _____ gpm with _____ ft. drawdown after _____ hrs.</p> <p>Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.</p> <p>Artesian flow _____ gpm</p> <p>Temperature of water _____</p>
<p>8) WATER LEVEL:      240</p> <p>Static level _____ ft. below land surface      Date 10-30-74</p> <p>Artesian pressure _____ lbs. per square inch      Date _____</p> <p>Depth to pump bowls, cylinder, jet, etc., 340 ft.</p> <p>below land surface.</p>	<p>12) WATER QUALITY:</p> <p>Was a chemical analysis made?      Yes      <del>X</del> No</p> <p>Did any strata contain undesirable water?      Yes      <del>XX</del> No</p> <p>Type of water? good      depth of strata 32</p>

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801  
(Type or Print)

ADDRESS P.O. Box 37 Riverside, Texas  
(Street or RFD) (City) (State)

(Signed) E.A. Holly E.A. Holly Co.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
JUN 12 1975  
General Records  
Texas Water Development Board

RECEIVED  
NOV 6 1974  
TEXAS WATER  
DEVELOPMENT BOARD

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse Side

State of Texas  
WELL REPORT

Texas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-371-6299

1) OWNER Glenn W. Warrick ADDRESS 63 White oak New Coney TX 77357  
(Name) (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: Southwood Forrest Huntville 77340 STATE WELL # 60-21-4  
County Walker (Street or RFD) (City) (State) (Zip)

## 3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

## 4) PROPOSED USE (Check):

☐ Monitor ☐ Environmental Soil Boring ☒ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

## 6) WELL LOG:

Date Drilling:

Started 9-11-95  
Completed 9-11-95

## DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>4 1/2</u>	<u>Surface</u>	<u>84</u>

## 7) DRILLING METHOD (Check):

☐ Driven  
☐ Air Rotary ☒ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☐ Other \_\_\_\_\_

From (ft.)	To (ft.)	Description and color of formation material
<u>0-2</u>	<u>Sand</u>	
<u>2-21</u>	<u>Clay</u>	
<u>21-29</u>	<u>Sand Rock</u>	
<u>29-34</u>	<u>Sandy Shale</u>	
<u>34-65</u>	<u>Clay</u>	
<u>65-67</u>	<u>Sand</u>	
<u>67-69</u>	<u>Clay</u>	
<u>69-84</u>	<u>Sand</u>	

## 8) Borehole Completion (Check):

☐ Open Hole ☒ Straight Wall  
☐ Underreamed ☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

## CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>2</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>74</u>	<u>40</u>
<u>2</u>	<u>N</u>	<u>PVC S/OTT</u>	<u>74</u>	<u>84</u>	<u>#14</u>

## 9) CEMENTING DATA [Rule 338.44(1)]

Cemented from 0 ft. to 10 ft. No. of sacks used 10  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of sacks used \_\_\_\_\_  
Method used \_\_\_\_\_  
Cemented by \_\_\_\_\_  
Distance to septic system field lines \_\_\_\_\_ ft. NO SEPTIC SYSTEM  
Method of verification of above distance \_\_\_\_\_

## 13) TYPE PUMP:

☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., 40 ft.

## 14) WELL TESTS:

Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated  
Yield: 17 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

## 15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? Sand Depth of strata \_\_\_\_\_Was a chemical analysis made? ☐ Yes ☒ No

## 10) SURFACE COMPLETION

☐ Specified Surface Slat Installed [Rule 338.44(2)(A)]  
☒ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
☐ Pitless Adapter Used [Rule 338.44(3)(b)]  
☐ Approved Alternative Procedure Used [Rule 338.44(3)(c)]

## 11) WATER LEVEL:

Static level 3 ft. below land surface Date 9-11-95  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

## 12) PACKERS:

Type Depth

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Gray's Water Well Ser WELL DRILLER'S LICENSE NO. 2011 WPK  
(Type or print)

ADDRESS PO Box 1788 TRINITY TX 75862  
(Street or RFD) (City) (State) (Zip)

(Signed) Vernon Gray (Signed) Richard Myke  
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Advisory Council and the Texas Natural Resource Conservation Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provisions of Section 32.005 of the Texas Water Code, the Reporting of Well Logs, reads as follows:

"Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

[illegible]

#10 Walker

Please use black ink.  
Send original copy by  
certified mail to the  
Texas Water Commission  
P.O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Alice Gwinn Address Rt 8 Box386-D Huntsville, Tex 77340  
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:  
County Walker 4 miles in E direction from Huntsville  
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right  
with distance and direction from two intersecting sec-  
tion or survey lines, or he must locate and identify the  
well on an official Quarter- or Half-Scale Texas County  
General Highway Map and attach the map to this form.

☐ Legal description:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_

Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. 0 n 60-13-3

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Injection ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check): ☐ Driven  
☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Other \_\_\_\_\_

6) WELL LOG:

Date Drilling:  
Started 10-5 19 89  
Completed 10-6 19 89

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	158

7) BOREHOLE COMPLETION:

☒ Open Hole ☐ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_

If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material
0-7		sand
7-22		red clay
22-37		sandy clay
37-102		white clay
102-109		sand
109-124		white clay w/sand streaks
124-139		white clay
139-158		sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC	-1.5	146	40
2	N	PVC UC	148	158	#12

9) CEMENTING DATA [Rule 319.44(b)]

Cemented from 146 ft. to 46 ft. No. of Sacks Used 7  
0 ft. to 15 ft. No. of Sacks Used 1

Method used Pressure  
Cemented by Raymond McPike

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 319.44(c)]  
☒ Pitless Adapter Used [Rule 319.44(d)]  
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:

Static level 100 ft. below land surface Date 10-6-89  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type Depth

Rubber R 140

13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., 140 ft.

14) WELL TESTS:

Type Test: ☐ Pump ☐ Bailor ☒ Jetted ☒ Estimated  
Yield: 15 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells Water Well Driller's License No. 2026  
(Type or Print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only  
Well No. 80-21-4  
Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Please use black ink.  
Send original copy by  
certified mail to the  
Texas Water Commission  
P.O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

#3 Walker

1) OWNER George Russell Address 1409 19th St. Huntsville, Texas 77340  
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 4 miles in SE direction from Huntsville  
(N.E., S.W., etc.) (Town)

☐ Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. on 60-21-1

3) TYPE OF WORK (Check): ☒ New Well ☐ Deepening ☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply ☐ Irrigation ☐ Test Well ☐ Injection ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check): ☐ Driven ☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored ☐ Air Rotary ☐ Cable Tool ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date Drilling: Started 9-1 19 88 Completed 9-2 19 88

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	232

7) BOREHOLE COMPLETION:  
☒ Open Hole ☐ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:					
			Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-2		top soil						
2-12		sand						
12-79		white clay	4	N	PVC	-1.5	212	40
79-82		sand						
82-92		white clay	2	N	PVC UC	232	212	#8
92-102		blue clay						
102-112		sand						
112-116		white clay						
116-132		sand						
132-142		white clay						
142-145		sand						
145-160		white clay						
160-162		sand						
162-168		white clay						
168-175		sand						
175-212		white clay						
212-232		sand						

9) CEMENTING DATA [Rule 319.44(b)]			
Cemented from	<u>212</u>	ft. to	<u>112</u> ft.
	<u>15</u>	ft. to	<u>0</u> ft.
No. of Sacks Used	<u>6</u>		
No. of Sacks Used	<u>2</u>		
Method used	<u>Pressure</u>		
Cemented by	<u>Holly Water Wells</u>		

10) SURFACE COMPLETION			
<input type="checkbox"/>	Specified Surface Slab Installed [Rule 319.44(c)]		
<input checked="" type="checkbox"/>	Pitless Adapter Used [Rule 319.44(d)]		
<input type="checkbox"/>	Approved Alternative Procedure Used [Rule 319.71]		

9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 212 ft. to 112 ft. No. of Sacks Used 6  
15 ft. to 0 ft. No. of Sacks Used 2  
Method used Pressure  
Cemented by Holly Water Wells

10) SURFACE COMPLETION  
☐ Specified Surface Slab Installed [Rule 319.44(c)]  
☒ Pitless Adapter Used [Rule 319.44(d)]  
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type Depth  
2 Rubber R 207

13) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 20 ft.

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 20  
Was a chemical analysis made? ☐ Yes ☒ No

14) WELL TESTS:  
Type Test: ☐ Pump ☐ Bailor ☒ Jetted ☒ Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells Water Well Driller's License No. 2026  
(Type or Print)

ADDRESS 607 Hwy 19 Huntsville, Texas 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only  
Well No. 60-21-4  
Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep; or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT  
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-21-4T  
Located on map 40 MM  
Received:

1) OWNER K. HENDERSON (Name) Address RFD (Street or RFD) New Waverly Tex (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 4 miles in NE direction from New Waverly (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. 60-21-4T

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 1-9-85

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 3/4 Surface 280  
4 280 334

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial Setting (ft.) From To Gage Casing Screen  
0 3 top soil  
3 80 clay  
80 101 SAND  
101 110 clay  
110 132 SAND  
132 133 ROCK  
133 163 clay  
163 178 shale  
178 184 SAND  
184 260 shale  
260 291 clay (grey)  
291 314 clay (blue)  
314 334 SAND

CEMENTING DATA  
Cemented from 0 ft. to 20 ft.  
Method used \_\_\_\_\_  
Cemented by \_\_\_\_\_ (Company or Individual)

9) WATER LEVEL:  
Static level 100 ft. below land surface Date 1-12-85  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS:  
Type Depth  
Rubber 240  
Rubber 314

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 240 ft.

12) WELL TESTS:  
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated  
Yield: 10 gpm with 20 ft. drawdown after 1 hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? soft Depth of strata 22'  
Was a chemical analysis made? ☐ Yes ☒ No

DEPT. OF WATER RESOURCES  
(Use reverse side if necessary)

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME James Graham (Type or Print) Water Well Drillers Registration No. 1781  
ADDRESS P.O. Box 1590 (Street or RFD) Willis (City) Texas (State) 77378 (Zip)  
(Signed) James Graham (Water Well Driller) Air Flo Water Well (Company Name)  
Please attach electric log, chemical analysis, and other pertinent information, if available.

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).





WALKER

Pt

#70

Please use black ink.  
Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT  
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

1) OWNER Steely Lumber Address Southwood drive Huntsville TX 77340  
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Walker 1 miles in S direction from Huntsville  
County (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right  
with distance and direction from two intersecting sec-  
tion or survey lines, or he must locate and identify the  
well on an official Quarter- or Half-Scale Texas County  
General Highway Map and attach the map to this form.

☐ Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. Map on 60-20-1H

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☐ Domestic ☒ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 9/12/85

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 239

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-2		Top soil						
2-10		Sand						
10-22		Meally Clay	4	N	Plastic	-1 1/2	209	40
22-42		Sand streaks						
42-52		White clay	2 1/2	N	PVC Undercut	209	239	#14
52-70		Sand						
70-79		Sand streaks						
79-87		Sand						
87-115		Brown clay						
115-131		Sand						
131-182		Meally clay						
182-192		Sand						
192-209		Brown clay						
209-239		Sand						

9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 209 ft. to 109 ft.  
0 ft. to 10 ft.  
Method used Pressure  
Cemented by Henry Lee

10) SURFACE COMPLETION  
☐ Specified Surface Slab Installed [Rule 319.44(c)]  
☐ Pitless Adapter Used [Rule 319.44(d)]  
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type \_\_\_\_\_ Depth \_\_\_\_\_  
Lead \_\_\_\_\_ 205

13) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

14) WELL TESTS:  
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

15) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 30 Ft.  
Was a chemical analysis made? ☐ Yes ☒ No

16) CERTIFICATION:  
I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221  
(Type or Print)  
ADDRESS Route 11 Box 607 Huntsville, TX 77340  
(Street or RFD) (City) (State) (Zip)  
(Signed) RALPH A. ABWALLADKE (Signed) Dup  
(Licensed Water Well Driller) (Registered Driller Trainee)  
Please attach electric log, chemical analysis, and other pertinent information, if available.  
For TDWR use only  
Well No. 60-214R  
Located on map 60-214R

TDWR-0392 (12/29/83)

DEPARTMENT OF WATER RESOURCES COPY

X

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

#70 WALKER

P

Use black ink.  
Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

OWNER Steely Lumber Address Southwood Drive Huntsville, TX 77340  
(Name) (Street or RFD) (City) (State) (Zip)  
LOCATION OF WELL:  
County WALKER 1 miles in SE direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)

☐ Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

Driller must complete the legal description to the right  
th distance and direction from two intersecting sec-  
on or survey lines, or he must locate and identify the  
all on an official Quarter- or Half-Scale Texas County  
General Highway Map and attach the map to this form.

☒ See attached map.

TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☐ Domestic ☒ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

WELL LOG:  
Date drilled 9/12/85

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
<u>6½</u>	<u>Surface</u>	<u>511</u>

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-2		Top soil						
2-10		Sand						
10-22		Meally clay	4	N	Plastic	-1½	481	40
22-42		Sand streaks						
42-52		White clay	2½	N	Plastic	510	480	#10
52-70		Sand						
70-79		Sand streaks						
79-87		Sand						

9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 481 ft. to 381 ft.  
                    0 ft. to 10 ft.  
Method used Pressure  
Cemented by Henry Lee

10) SURFACE COMPLETION  
☐ Specified Surface Slab Installed [Rule 319.44(c)]  
☐ Pitless Adapter Used [Rule 319.44(d)]  
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level 140 ft. below land surface Date 9/ /85  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type Depth  
                    Lead 475

13) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Pump bowls, cylinder, jet, etc., 315 ft.

14) WELL TESTS:  
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated  
Yield: 40 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

1) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 23 Ft.  
Was a chemical analysis made? ☐ Yes ☒ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221  
(Type or Print)

ADDRESS Route 11 Box 607 Huntsville, TX 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) RANDY A. REDWALLADER (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only  
Well No. 60-21-H  
Located on map 7c

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.







**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

“Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record.”

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

# 1<sup>st</sup> Walker

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT  
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

1) OWNER Larry Turner Address RT 8 Box 366 Huntsville Tx 77340  
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Walker 1 miles in S direction from Huntsville  
County (N.E., S.W., etc.) (Town)

☐ Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. Map on 60-03-84

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 8/23/83

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)

6 1/2 Surface 248

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

0-2	Top Soil	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial	Setting (ft.)		Gage Casing Screen
2-11	Brown clay				From	To	
11-50	Sand	4	N	Plastic	-1 1/2	236	40
50-53	Brown clay						
53-71	Sand	2 1/2	N	Stainless Steel	247	237	#10
71-129	White clay						
129-133	Sand						
133-152	White clay						
152-156	Sandy clay						
156-186	Sand & Gravel						
186-190	Rock streaks						
190-212	White clay						
212-219	Sandy clay						
219-222	Sand						
222-236	Sandy clay						
236-248	Sand						

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  

CEMENTING DATA  
Cemented from 236 ft. to 136 ft.  
Method used Pressure  
Cemented by Henry Lee  
(Company or Individual)

9) WATER LEVEL:  
Static level 106 ft. below land surface Date 8-24-83  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS:  
Type Depth  
Lead L 232

RECEIVED  
JAN 14 1984  
DEPT. OF  
WATER RESOURCES  
(Use reverse side if necessary)

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER" \_\_\_\_\_  
Type of water? Good Depth of strata 12 Ft.  
Was a chemical analysis made? ☐ Yes ☒ No

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

12) WELL TESTS:  
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221  
(Type or Print)

ADDRESS P.O. Box 638 Riverside TX 77367  
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only  
Well No. 60-21-47  
Located on map YES C-F-S

TDWR-0392 (Rev. 5-27-82) DEPARTMENT OF WATER RESOURCES COPY

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#17 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT  
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

1) OWNER Mr. Coburn Address Rt. 8 Box 343 Huntsville Tx 77340  
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: Walker 1 miles in S direction from Huntsville  
County (N.E., S.W., etc.) (Town)

☐ Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. map on 60-03-86

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 8/22/83

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 192

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:  
Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casing Screen  
0-2 Top soil 4 N Plastic -1 1/2 176 40  
2-10 Rock & White clay 2 1/2 N Plastic undercutter 186 176  
10-22 Sand streaks  
22-36 Brown clay  
36-51 Sand  
51-54 White clay  
54-75 Sand  
75-78 Brown clay  
78-102 Sand  
102-132 White Clay  
132-135 Sand streaks  
135-156 White clay  
156-167 Sand  
167-176 White clay  
176-182 Sand  
182-192 Sandy Clay

CEMENTING DATA  
Cemented from 176 ft. to 76 ft.  
Method used Pressure  
Cemented by Henry Lee  
(Company or Individual)

9) WATER LEVEL:  
Static level 121 ft. below land surface Date 8/23/83  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth  
Rubber R 171

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

12) WELL TESTS:  
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? GOOD Depth of strata 10 Ft.  
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water Well Service Water Well Driller's License No. 2026/2221  
(Type or Print)  
ADDRESS P.O. Box 638 Riverside Texas 77367  
(Street or RFD) (City) (State) (Zip)  
(Signed) Ruth A. Walker (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)  
Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only  
Well No. 60-21-45  
Located on map YES - A.S.

TDWR-0392 (Rev. 5-27-82) DEPARTMENT OF WATER RESOURCES COPY

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

ATTENTION OWNER: Confidentiality  
Privilege Notice on Reverse SideState of Texas  
WELL REPORTTexas Water Well Drillers Advisory Council  
P.O. Box 13087  
Austin, TX 78711-3087  
512-239-05301) OWNER Doug Appel (Name) ADDRESS RT 8 Box 387 E Huntsville TX 77340 (Street or RFD) (City) (State) (Zip)2) ADDRESS OF WELL: County Walker Southwood Forrest (Street or RFD) (City) (State) (Zip) GRID # 60-21-4

## 3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

## 4) PROPOSED USE (Check):

☐ Monitor ☐ Environmental Soil Boring ☒ Domestic  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell  
If Public Supply well, were plans submitted to the TNRC? ☐ Yes ☐ No

## 6) WELL LOG:

Date Drilling:  
Started 9-25 19 96  
Completed 9-26 19 96

## DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)  
6 3/4 Surface 187

## 7) DRILLING METHOD (Check):

☐ Driven  
☐ Air Rotary ☒ Mud Rotary ☐ Bored  
☐ Air Hammer ☐ Cable Tool ☐ Jetted  
☐ Other

From (ft.) To (ft.) Description and color of formation material

0-28 Sand  
28-36 clay  
36-61 clay  
61-78 clay  
78-90 sand  
90-94 clay  
94-103 Gravel/sand  
103-107 Gravel/sand  
107-124 Sand shale  
124-134 Sand (Fine)  
134-145 clay  
145-147 sand  
147-166 clay  
166-187 Sand

(Use reverse side if necessary)

## 8) Borehole Completion (Check):

☐ Open Hole ☒ Straight Wall  
☐ Underreamed ☐ Gravel Packed ☐ Other  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

## CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
<u>4</u>	<u>N</u>	<u>PVC</u>	<u>0</u>	<u>177</u>	<u>40</u>
<u>4</u>	<u>N</u>	<u>PVC Screen</u>	<u>177</u>	<u>187</u>	<u>12</u>

## 9) CEMENTING DATA [Rule 338.44(1)]

Cemented from 0 ft. to 10 ft. No. of sacks used 12  
\_\_\_\_\_ ft. to \_\_\_\_\_ ft. No. of sacks used \_\_\_\_\_

Method used \_\_\_\_\_

Cemented by Vernon GrayDistance to septic system field lines 180 ft.Method of verification of above distance stepped off

## 10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 338.44(2)(A)]  
☒ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]  
☐ Pitless Adapter Used [Rule 338.44(3)(b)]  
☐ Approved Alternative Procedure Used [Rule 338.71]

## 11) WATER LEVEL:

Static level 51' ft. below land surface Date 9-25-96

Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

## 12) PACKERS:

Rubber Type Rubber Depth 177'

## 13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_Depth to pump bowls, cylinder, jet, etc., 100 ft.

## 14) WELL TESTS:

Type test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated  
Yield: 60 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

## 15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"Type of water? good Depth of strata 21'Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Grays Water Well (Type or print)ADDRESS P.O. Box 1788 (Street or RFD)(Signed) Vernon Gray (Licensed Well Driller)WELL DRILLER'S LICENSE NO. 2011 WPK(City) Trinity (State) TX (Zip) 75862(Signed) Richard Tucker (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.



47-101-10000-57800-57800

Sept. 1940

[illegible]

50.

1997

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 84

— 100 —

52.

Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-21-4R  
Located on map YES  
Received: RWB

1) OWNER CARLTON GUIDRY Address South Ward Road  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL:  
County Walker Texas 30 miles in NORTH direction from Conroe  
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map.

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 10-21-81

| DIAMETER OF HOLE |            |          |
|------------------|------------|----------|
| Dia. (in.)       | From (ft.) | To (ft.) |
|                  | Surface    |          |
|                  |            |          |
|                  |            |          |

7) BOREHOLE COMPLETION:  
☐ Open Hole ☐ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

| From (ft.) | To (ft.) | Description and color of formation material | 8) CASING, BLANK PIPE, AND WELL SCREEN DATA: |             |  |               |      |                    |
|------------|----------|---|--|-------------|--|---------------|------|--------------------|
| 0          | 20       | S/S & Clay                                  | Dia. (in.)                                   | New or Used | Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial | Setting (ft.) |      | Gage Casing Screen |
|            |          |   |  |             |  | From          | To   |                    |
| 20         | 50       | Sand & Clay                                 |  |             |  |               |      |                    |
| 50         | 60       | Clay W/ Sand                                | 4  | N           | PVC Casing   | 0             | 172  |                    |
| 60         | 93       | Sand---Fine Face Powder                     | 4  | N           | PVC Screen   | 172           | 192  |                    |
| 93         | 168      | Broken Sand & Clay                          |  |             |  | 14 ga         | & 12 |                    |
| 168        | 177      | Broken Sand & Clay                          |  |             |  |               |      |                    |
| 177        | 192      | Sand  |  |             |  |               |      |                    |
| 192        | 193      | Broken                                      |  |             |  |               |      |                    |
|            |          |   |  |             |  |               |      |                    |
|            |          |   |  |             |  |               |      |                    |
|            |          |   |  |             |  |               |      |                    |

CEMENTING DATA  
Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Method used \_\_\_\_\_  
Cemented by \_\_\_\_\_  
(Company or Individual)

9) WATER LEVEL:  
Static level 98 ft. below land surface Date 10-21-81  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth  
rubber 170

11) TYPE PUMP:  
☐ Turbine ☒ Jet ☐ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

12) WELL TESTS:  
☐ Type Test ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated  
Yield: 20 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Ricky Neal Water Well Drillers Registration No. 1985  
(Type or Print)  
ADDRESS P. O. Box 275 Conroe Texas 77305  
(Street or RFD) (City) (State) (Zip)  
(Signed) Ricky Neal Con-Tex Water Well Company  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

#45

WKEK

dup

Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-214R  
Located on map YCS  
Received: C.F.S.

1) OWNER Tommy Watson Address Rt. 8 Box 342-C Huntsville, Texas 77340  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL:  
County Walker miles in SSE direction from Huntsville  
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right  
with distance and direction from two intersecting sec-  
tion or survey lines, or he must locate and identify the  
well on an official Quarter- or Half-Scale Texas County  
General Highway Map and attach the map to this form.

☐ Legal description:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_

Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. map on 60-12-1E

## 3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

## 4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

## 5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

## 6) WELL LOG:

## DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)

6 1/2 Surface 175Date drilled 6-13-83

## 7) BOREHOLE COMPLETION:

☐ Open Hole ☒ Straight Wall ☐ Underreamed☐ Gravel Packed ☐ Other \_\_\_\_\_

If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

| From (ft.) | To (ft.)     | Description and color of formation material |
|------------|--------------|---|
| 0-2        | top soil     |   |
| 2-12       | brown clay   |   |
| 12-74      | sand         |   |
| 74-82      | sand streaks |   |
| 82-102     | sand         |   |
| 102-108    | brown clay   |   |
| 108-119    | sand streaks |   |
| 119-122    | sand         |   |
| 122-153    | brown clay   |   |
| 153-175    | sand         |   |

## 8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

| Dia. (in.) | New or Used | Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial | Setting (ft.) |     | Gage Casing Screen |
|------------|-------------|--|---------------|-----|--------------------|
|            |             |  | From          | To  |                    |
| 4          | N           | Plastic  | -1 1/2        | 163 | 40                 |
| 2 1/2      | N           | Stainless steel  | 174           | 164 | #10                |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |

## CEMENTING DATA

Cemented from 163 ft. to 63 ft.Method used PressureCemented by Henry Lee  
(Company or Individual)

## 9) WATER LEVEL:

Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_

Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

**RECEIVED****AUG - 9 1983****DEPT. OF  
WATER RESOURCES**

(Use reverse side if necessary)

## 13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? good Depth of strata 22 ft.Was a chemical analysis made? ☐ Yes ☒ No

## 10) PACKERS: Type \_\_\_\_\_ Depth \_\_\_\_\_

Lead L 159

## 11) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., 140 ft.

## 12) WELL TESTS:

☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ EstimatedYield: 35 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that  
each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER, Henry Lee Water Well Drillers Registration No. 2026, 2221  
(Type or Print)ADDRESS P.O. Box 638 Riverside, Texas 77367  
(Street or RFD) (City) (State) (Zip)(Signed) Ralph A. Cadwallader  
(Water Well Driller)Holly Water Well Service  
(Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

JAN 10 1978  
10:00 AM  
FBI - AUSTIN  
RECEIVED

#13 WALKER

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT  
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-21-40  
Located on map YES  
Received: RWB

1) OWNER Gabino Monjaras (Name) Address Rt. 4 Box 1082-A (Street or RFD) Huntsville, Texas 77340 (City) (State) (Zip)

2) LOCATION OF WELL: County Walker 5 miles in SE direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. ON 38-61-4A

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 10-1-81

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)

|       |         |     |
|-------|---------|-----|
| 6 1/2 | Surface | 192 |
|       |         |     |
|       |         |     |

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

| From (ft.) | To (ft.)     | Description and color of formation material |
|------------|--------------|---|
| 0-2        | top soil     |   |
| 2-12       | brown clay   |   |
| 12-29      | sand         |   |
| 29-31      | blue clay    |   |
| 31-42      | brown clay   |   |
| 42-77      | sand         |   |
| 77-102     | sand streaks |   |
| 102-140    | sand         |   |
| 140-142    | clay         |   |
| 142-160    | sand streaks |   |
| 160-192    | sand         |   |

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

| Dia. (in.) | New or Used | Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial | Setting (ft.) |     | Gage Casing Screen |
|------------|-------------|--|---------------|-----|--------------------|
|            |             |  | From          | To  |                    |
| 4          | N           | Plastic  | -1 1/2        | 180 | 40                 |
| 2 1/2      | N           | Plastic  | 191           | 181 | #10                |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |

CEMENTING DATA  
Cemented from 180 ft. to 130 ft.  
Method used Pressure  
Cemented by Holly Water Well Service, Inc. (Company or Individual)

9) WATER LEVEL:  
Static level \_\_\_\_\_ ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth  
Lead L 176

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

12) WELL TESTS:  
☐ Type Test ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated  
Yield: 40 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water: Good Depth of strata 32 ft.  
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME RALPH A. CADWALLADER Water Well Drillers Registration No. 2026 (Type or Print)

ADDRESS P.O. Box 638 Riverside, Texas 77367 (Street or RFD) (City) (State) (Zip)

(Signed) [Signature] Holly Water Well Service (Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

**RECEIVED**  
OCT - 9 1981  
DEPT. OF  
WATER RESOURCES

TEXAS DEPT.  
OF  
WATER RESOURCES

Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-21-4P  
Located on map YES  
Received: C.F.S.

1) OWNER Betsy Crocker Address Rt. 8 Box 366 Huntsville, Texas 77340  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL:  
County Walker 1 miles in SE direction from Huntsville  
(N.E., S.W., etc.) (Town)

☐ Legal description:  
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. map on 60-12-82

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging  
4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 10-1-80  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 223  
7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

| From (ft.) | To (ft.) | Description and color of formation material | Dia. (in.) | New or Used | Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgf., if commercial | Setting (ft.) From | To  | Gage Casing Screen |
|------------|----------|---|------------|-------------|--|--------------------|-----|--------------------|
|            |          | 0-2 top soil                                |            |             |  |                    |     |                    |
|            |          | 2-16 red clay                               |            |             |  |                    |     |                    |
|            |          | 16-22 sand                                  | 4          | N           | Plastic  | -1 1/2             | 211 | #0                 |
|            |          | 22-54 sandy clay                            |            |             |  |                    |     |                    |
|            |          | 54-62 sand                                  | 2 1/2      | N           | Stainless steel  | 212                | 222 | #8                 |
|            |          | 62-70 white clay                            |            |             |  |                    |     |                    |
|            |          | 70-78 sand                                  |            |             |  |                    |     |                    |
|            |          | 78-138 white clay                           |            |             |  |                    |     |                    |
|            |          | 138-168 dry sand                            |            |             |  |                    |     |                    |
|            |          | 168-199 white clay                          |            |             |  |                    |     |                    |
|            |          | 199-203 sandy clay                          |            |             |  |                    |     |                    |
|            |          | 203-223 sand                                |            |             |  |                    |     |                    |

CEMENTING DATA  
Cemented from 211 ft. to 161 ft.  
Method used Pressure  
Cemented by Ralph A. Cadwallader  
(Company or Individual)

9) WATER LEVEL:  
Static level 93 ft. below land surface Date 10-7-80  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS:  
Type Depth  
Rubber R&R 206

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 160 ft.

12) WELL TESTS:  
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated  
Yield: 35 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 20 ft.  
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME R ALPH A. CADWALLADER Water Well Drillers Registration No. 2026  
(Type or Print)  
ADDRESS P.O. Box 638 Riverside, Texas 77367  
(Street or RFD) (City) (State) (Zip)  
(Signed) Ralph A. Cadwallader MAXX Holly Water Well Service  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.



**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

was Dept. of Water Resources

DEC - 8 1980

7

Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

For TDWR use only  
Well No. 60-21-4N  
Located on map YES  
Received: TH

1) OWNER J. L. Standley (Name) Address Route 4 Box 188-31 Houstonville Tex 77340 (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL:  
County WALKER 8 miles in E direction from HONTVILLE, TEXAS (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_

Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. Map on 60-19-4H

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:

DIAMETER OF HOLE

| Dia. (in.)   | From (ft.) | To (ft.)   |
|--------------|------------|------------|
| <u>6 1/2</u> | Surface    | <u>195</u> |
|              |            |            |
|              |            |            |

Date drilled \_\_\_\_\_

7) BOREHOLE COMPLETION:

☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_

If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

|           |            |
|-----------|------------|
| 0 - 22    | RED CLAY   |
| 22 - 72   | SAND       |
| 72 - 92   | WHITE CLAY |
| 92 - 102  | SAND       |
| 102 - 103 | ROCK       |
| 103 - 132 | SANDY CLAY |
| 132 - 134 | SAND       |
| 134 - 185 | SANDY CLAY |
| 185 - 195 | WHITE SAND |

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

| Dia. (in.) | New or Used | Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial | Setting (ft.) |      | Gage Casing Screen |
|------------|-------------|--|---------------|------|--------------------|
|            |             |  | From          | To   |                    |
| 4          | N           | PLASTIC  | 185           | +1   | SEA 40             |
| 2 1/2      | N           | STAINLESS STEEL  | 185           | -195 | #8                 |
|            |             |  |               |      |                    |
|            |             |  |               |      |                    |
|            |             |  |               |      |                    |
|            |             |  |               |      |                    |
|            |             |  |               |      |                    |
|            |             |  |               |      |                    |

CEMENTING DATA

Cemented from 185 ft. to 100 ft.

Method used PRESSURE

Cemented by E. A. HOLLY CO.  
(Company or Individual)

9) WATER LEVEL:

Static level 124 ft. below land surface Date 2-28-80

Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth

LEAD 180

11) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., 179 ft.

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? Good Depth of strata 10

Was a chemical analysis made? ☐ Yes ☒ No

12) WELL TESTS:

☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated

Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME E. A. HOLLY (Type or Print) Water Well Drillers Registration No. 801

ADDRESS Box 37 RIVERSIDE TEXAS 77367  
(Street or RFD) (City) (State) (Zip)

(Signed) E. A. HOLLY (Water Well Driller) E. A. HOLLY CO. (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

SEP 17 1980


CIV/DWR

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

Texas Dept. of Water Resources

MAY 7 1980

RECEIVED

|  |  |  |  |  |
|--|--|--|--|--|
| Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711  |  | State of Texas   | For TWDB use only<br>Well No. <u>60-21-4M</u><br>Located on map <u>yes</u><br>Received: <u>77-4-5</u><br><u>dk</u> |  |
| WATER WELL REPORT  |  |  |  |  |
| 1) OWNER:<br>Person having well drilled <u>T.L. CAPER'S</u> Address <u>4626 Bell, #2 Houston Texas</u><br>(Name) (Street or RFD) (City) (State)<br>Landowner <u>SAME</u> Address <u>SAME</u> <u>77023</u><br>(Name) (Street or RFD) (City) (State)   |  |  |  |  |
| 2) LOCATION OF WELL:<br>County <u>WALKER</u> , <u>7</u> miles in <u>S.E</u> direction from <u>HUNTSVILLE</u><br>(N.E., S.W., etc.) (Town)<br>Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*<br><div><p>(Use reverse side if necessary)</p></div> <div>or<br/>Give legal location with distances and directions from adjacent sections or survey lines.<br/>Labor _____ League _____<br/>Block _____ Survey _____<br/>Abstract No. _____<br/>(NW¼ NE¼ SW¼ SE¼) of Section _____</div> |  |  |  |  |
| 3) TYPE OF WORK (Check):<br><input checked="" type="checkbox"/> New Well<br><input type="checkbox"/> Reconditioning<br><input type="checkbox"/> Deepening<br><input type="checkbox"/> Plugging   |  | 4) PROPOSED USE (Check):<br><input checked="" type="checkbox"/> Domestic<br><input type="checkbox"/> Irrigation<br><input type="checkbox"/> Industrial<br><input type="checkbox"/> Test Well<br><input type="checkbox"/> Municipal<br><input type="checkbox"/> Other   |  | 5) TYPE OF WELL (Check):<br><input checked="" type="checkbox"/> Rotary<br><input type="checkbox"/> Cable<br><input type="checkbox"/> Driven<br><input type="checkbox"/> Jetted<br><input type="checkbox"/> Dug<br><input type="checkbox"/> Bored |
| 6) WELL LOG:<br>Diameter of hole <u>6 1/2</u> in. Depth drilled <u>140</u> ft. Depth of completed well <u>140</u> ft. Date drilled <u>4-6-77</u><br>All measurements made from <u>0</u> ft. above ground level.  |  |  |  |  |
| From (ft.) To (ft.) Description and color of formation material  |  | 9) Casing:<br>Type: <input checked="" type="checkbox"/> Old <input checked="" type="checkbox"/> New <input type="checkbox"/> Steel <input type="checkbox"/> Plastic <input type="checkbox"/> Other<br>Cemented from <u>130</u> ft. to <u>75</u> ft.<br>Diameter (inches) Setting From (ft.) To (ft.) Gage<br><u>4</u> <u>130</u> <u>+1</u> <u>SEN 40</u> |  |  |
| 0 - 22 RED SANDY CLAY<br>22 - 102 SAND<br>102 - 116 WHITE CLAY<br>116 - 240 SAND   |  | 10) SCREEN:<br>Type <u>STAINLESS STEEL</u><br>Perforated _____ Slotted _____<br>Diameter (inches) Setting From (ft.) To (ft.) Slot Size<br><u>2 1/2</u> <u>130</u> <u>140</u> <u># 10</u>  |  |  |
| (Use reverse side if necessary)  |  |  |  |  |
| 7) COMPLETION (Check):<br><input checked="" type="checkbox"/> Straight wall<br><input type="checkbox"/> Under reamed<br><input type="checkbox"/> Gravel packed<br><input type="checkbox"/> Open Hole<br><input type="checkbox"/> Other   |  | 11) WELL TESTS:<br>Was a pump test made? Yes No If yes, by whom?<br>Yield: _____ gpm with _____ ft. drawdown after _____ hrs.<br>Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.<br>Artesian flow _____ gpm<br>Temperature of water _____   |  |  |
| 8) WATER LEVEL:<br>Static level <u>101</u> ft. below land surface Date <u>4-6-77</u><br>Artesian pressure _____ lbs. per square inch Date _____<br>Depth to pump bowls, cylinder, jet, etc., <u>120</u> ft. below land surface.  |  | 12) WATER QUALITY:<br>Was a chemical analysis made? Yes No<br>Did any strata contain undesirable water? Yes No<br>Type of water? <u>Good</u> depth of strata <u>24</u>   |  |  |
| I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  |  |  |  |  |
| NAME <u>E.A. HOLLY</u> Water Well Drillers Registration No. <u>801</u><br>(Type or Print)<br>ADDRESS <u>Box 37 RIVERSIDE TEXAS 77367</u><br>(Street or RFD) (City) (State)<br>(Signed) <u>E.A. Holly</u> <u>E.A. HOLLY CO</u><br>(Water Well Driller) (Company Name)   |  |  |  |  |
| Please attach electric log, chemical analysis, and other pertinent information, if available.  |  |  |  |  |

\*Additional instructions on reverse side.

2)LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.


When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
MAY 18 1977  
TEXAS WATER  
DEVELOPMENT BOARD

RECEIVED  
JUN 25 1977  
Central Records  
Texas Water Development Board

1) OWNER:  
Person having well drilled WAYNE ALLEN (Name) Address Huntsville Tex. (Street or RFD) (City) (State)  
Landowner SAME (Name) Address SAME (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 5 miles in SE direction from Huntsville (N.E., S.W., etc.) (Town)  
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_  
  
(Use reverse side if necessary)

3) TYPE OF WORK (Check):  
New Well ☒ Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic ☒ Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary ☒ Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 1/8 in. Depth drilled 300 ft. Depth of completed well 300 ft. Date drilled 2/15/75  
All measurements made from 0 ft. above ground level.

| From (ft.)                      | To (ft.) | Description and color of formation material | 9) Casing:<br>Type: Old _____ New <input checked="" type="checkbox"/> Steel _____ Plastic _____ Other _____<br>Cemented from _____ ft. to _____ ft.                                    |
|---------------------------------|----------|---|--|
| 0                               | 75       | Brown Shell                                 | Diameter (inches) 4<br>Setting From (ft.) 0 To (ft.) 280<br>Gage _____   |
| 75                              | 125      | SAND  |  |
| 125                             | 280      | Blue Shell                                  |  |
| 280                             | 300      | Water Sand                                  |  |
| (Use reverse side if necessary) |          |   | 10) SCREEN:<br>Type STAINLESS Steel<br>Perforated <input checked="" type="checkbox"/> Slotted _____<br>Diameter (inches) 2 1/2<br>Setting From (ft.) 280 To (ft.) 300<br>Slot Size .10 |

7) COMPLETION (Check):  
Straight wall \_\_\_\_\_ Gravel packed ☒ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_  
8) WATER LEVEL:  
Static level 85 ft. below land surface Date 2/15/76  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 252 ft. below land surface.  
11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No ☒ If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_  
12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No ☒  
Did any strata contain undesirable water? Yes \_\_\_\_\_ No \_\_\_\_\_  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME J. B. Bradford Water Well Drillers Registration No. 765  
(Type or Print)  
ADDRESS 616 N. McTyer MADISONVILLE TEXAS  
(Street or RFD) (City) (State)  
(Signed) J. B. Bradford J. B. Bradford & Sons Drilling Co.  
(Water Well Driller) (Company Name)

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
SEP - 8 1976

TEXAS WATER  
DEVELOPMENT BOARD

RECEIVED  
JAN 14 1977  
Central Records  
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas

For TWDB use only Well No. 60-21-4K Located on map 76 Yes Received: 8/6/76

WATER WELL REPORT

1) OWNER:  
Person having well drilled Oreville Shelton Address Houston TEXAS  
Landowner Oreville Shelton Address Houston TEXAS

2) LOCATION OF WELL:  
County WALKER 2 miles in SW direction from Phelps TEX  
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor League  
Block Survey  
Abstract No.  
(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section

3) TYPE OF WORK (Check):  
New Well Deepening  
Reconditioning Plugging  
4) PROPOSED USE (Check):  
Domestic Industrial Municipal  
Irrigation Test Well Other  
5) TYPE OF WELL (Check):  
Rotary Driven Dug  
Cable Jetted Bored

6) WELL LOG:  
Diameter of hole 6 3/4 in. Depth drilled 322 ft. Depth of completed well 322 ft. Date drilled 5-4-76  
All measurements made from 0 ft. above ground level.  
From To Description and color of formation material  
0 2 top soil  
2 68 SAND  
68 100 CLAY  
100 140 SAND  
140 200 CLAY (RED)  
200 248 SAND  
248 300 CLAY (GREY)  
300-317 SAND  
317-322 CLAY  
9) CASING:  
Type: Old New Steel Plastic Other  
Cemented from ft. to ft.  
Diameter Setting  
(inches) From (ft.) To (ft.) Gage  
4" 0000 322 012  
10) SCREEN:  
Type Plastic Sch 40 4" slotted  
Perforated Slotted  
Diameter Setting  
(inches) From (ft.) To (ft.) Slot Size  
4" 307 317 012

7) COMPLETION (Check):  
Straight wall Gravel packed Other  
Under reamed Open Hole  
8) WATER LEVEL:  
Static level 130 ft. below land surface Date 5-7-76  
Artesian pressure lbs. per square inch Date  
Depth to pump bowls, cylinder, jet, etc., 200 ft. below land surface.  
11) WELL TESTS:  
Was a pump test made? Yes No If yes, by whom?  
Yield: 10 gpm with 10 ft. drawdown after 1 hrs.  
Bailer test gpm with ft. drawdown after hrs.  
Artesian flow gpm  
Temperature of water  
12) WATER QUALITY:  
Was a chemical analysis made? Yes No  
Did any strata contain undesirable water? Yes No  
Type of water? depth of strata 192'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME W. A. Waller Water Well Drillers Registration No. 1332  
ADDRESS Box 514 New Waverly TEXAS 77358  
(Signed) W. A. Waller AAA WATER WELLS INC  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.



2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
MAY 13 1976  
TEXAS WATER  
DEVELOPMENT BOARD


RECEIVED  
JUL 12 1976  
Central Records  
Texas Water Development Board

Send original copy by certified mail to the Texas Water Development Board P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Dup  
For TWDB use only  
Well No. 60-21-4K  
Located on map Yes  
Received: 7/19/88

1) OWNER:  
Person having well drilled Gustave Puesley Address Phelps Tex  
(Name) (Street or RFD) (City) (State)  
Landowner Same Address Same  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County Walker, 5 miles in E direction from Huntsville  
(N.E., S.W., etc.) (Town)  
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
  
(Use reverse side if necessary)  
or  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
☒ New Well      Deepening  
Reconditioning      Plugging  
4) PROPOSED USE (Check):  
☒ Domestic      Industrial      Municipal  
Irrigation      Test Well      Other  
5) TYPE OF WELL (Check):  
☒ Rotary      Driven      Dug  
Cable      Jetted      Bored

6) WELL LOG:  
Diameter of hole 6 3/4 in. Depth drilled 325 ft. Depth of completed well 325 ft. Date drilled 7-18-78  
All measurements made from 0 ft. above ground level.  

| From (ft.) | To (ft.) | Description and color of formation material |
|------------|----------|---|
| 0          | 5        | top soil                                    |
| 5          | 100      | SAND  |
| 100        | 130      | clay  |
| 130        | 135      | ROCK  |
| 135        | 185      | CLAY  |
| 185        | 225      | SAND  |
| 225        | 235      | ROCK  |
| 235        | 300      | ROCK, SAND, CLAY, (Broken)                  |
| 300        | 305      | rock  |
| 305        | 325      | SAND  |

  
(Use reverse side if necessary)  
9) Casing:  
Type: Old ☒ New      Steel      ☒ Plastic      Other  
Cemented from 0 ft. to 0 ft.  

| Diameter (inches) | Setting From (ft.) | To (ft.) | Gage   |
|-------------------|--------------------|----------|--------|
| 4"                | 0                  | 305      | sch 40 |

  
10) SCREEN:  
Type plastic sch 40  
Perforated \_\_\_\_\_ ☒ Slotted  

| Diameter (inches) | Setting From (ft.) | To (ft.) | Slot Size |
|-------------------|--------------------|----------|-----------|
| 4"                | 305                | 325      | 012       |

  
11) WELL TESTS:  
Was a pump test made?      Yes      ☒ No      If yes, by whom?  
Yield: 5 gpm with 10 ft. drawdown after 1 hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_  
12) WATER QUALITY:  
Was a chemical analysis made?      Yes      ☒ No  
Did any strata contain undesirable water?      Yes      ☒ No  
Type of water? soft depth of strata 20'

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  
NAME James L. Graham Sr Water Well Drillers Registration No. 1781  
(Type or Print)  
ADDRESS Rt 2 Box 301 Willis Texas  
(Street or RFD) (City) (State)  
(Signed) James L. Graham AAA Water Wells  
(Water Well Driller) (Company Name)  
Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

DEPT. OF  
WATER RESOURCES

AUG 24 1978

RECEIVED

RECEIVED

MAR 16 '79

CR/TDWR

1) OWNER:  
Person having well drilled DARREL DICKEY Address RT 4 HUNTSVILLE TEX  
(Name) (Street or RFD) (City) (State)  
Landowner " Address " " "  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER, 7 miles in WSW direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)  
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.\*  
HUNTSVILLE 4 HWY 119  
FM 2921  
North  
(Use reverse side if necessary)

or  
Give legal location with distances and directions from adjacent sections or survey lines.  
Labor \_\_\_\_\_ League \_\_\_\_\_  
Block \_\_\_\_\_ Survey \_\_\_\_\_  
Abstract No. \_\_\_\_\_  
(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well ☒ Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_

4) PROPOSED USE (Check):  
Domestic ☒ Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_

5) TYPE OF WELL (Check):  
Rotary ☒ Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 6 3/4 in. Depth drilled 240 ft. Depth of completed well 240 ft. Date drilled 5-18-69  
All measurements made from 0 ft. above ground level.

| From (ft.)       | To (ft.) | Description and color of formation material |
|------------------|----------|---|
| <u>0 - 2</u>     |          | <u>SURFACE DIRT</u>                         |
| <u>2 - 52</u>    |          | <u>RED SANDY CLAY</u>                       |
| <u>52 - 54</u>   |          | <u>RED SAND</u>                             |
| <u>54 - 213</u>  |          | <u>YELLOW-WHITE CLAY</u>                    |
| <u>213 - 240</u> |          | <u>WHITESAND</u>                            |

9) CASING:  
Type: Old \_\_\_\_\_ New ☒ Steel \_\_\_\_\_ Plastic ☒ Other \_\_\_\_\_  
Cemented from 180 ft. to 220 ft.  
Diameter (inches) 4 Setting From (ft.) 0 To (ft.) 220 Gage 073

7) COMPLETION (Check):  
Straight wall ☒ Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

8) WATER LEVEL:  
Static level 82 ft. below land surface Date 5-20-69  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 160 ft. below land surface.

10) SCREEN:  
Type PLASTIC  
Perforated \_\_\_\_\_ Slotted ☒  
Diameter (inches) 2 Setting From (ft.) 220 To (ft.) 240 Slot Size 014

11) WELL TESTS:  
Was a pump test made? Yes ☒ No \_\_\_\_\_ If yes, by whom? THOMAS ANDERS  
Yield: 10 gpm with 20 ft. drawdown after 3 hrs.  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No ☒  
Did any strata contain undesirable water? Yes \_\_\_\_\_ No ☒  
Type of water? GOOD depth of strata 18

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS Water Well Drillers Registration No. 1226  
(Type or Print)  
ADDRESS RT 4 BOX 26 HUNTSVILLE TEX  
(Street or RFD) (City) (State)  
(Signed) Thomas Anders THOMAS ANDERS  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
TEXAS WATER  
DEVELOPMENT BOARD

DEC 2 1969

RECEIVED

RECEIVED  
APR 7 1970

Central Records  
Texas Water Development Board

Send original copy by  
certified mail to the  
Texas Water Development Board  
P. O. Box 12386  
Austin, Texas 78711

State of Texas


WATER WELL REPORT

For TWDB use only  
Well No. 60-31-46  
Located on map Y-2-5  
Received: 6-9-69  
als

1) OWNER:  
Person having well drilled ELMIRA SPEARS Address RT 4 HUNTSVILLE TEX  
(Name) (Street or RFD) (City) (State)  
Landowner \_\_\_\_\_ Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER 5 1/2 miles in WSW direction from HUNTSVILLE  
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks,  
hiway number, etc.\*



or Give legal location with distances and directions from  
adjacent sections or survey lines.

Labor \_\_\_\_\_ League \_\_\_\_\_

Block \_\_\_\_\_ Survey \_\_\_\_\_

Abstract No. \_\_\_\_\_

(NW 1/4 NE 1/4 SW 1/4 SE 1/4) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
New Well ☒ Deepening \_\_\_\_\_  
Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
4) PROPOSED USE (Check):  
Domestic ☒ Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
5) TYPE OF WELL (Check):  
Rotary ☒ Driven \_\_\_\_\_ Dug \_\_\_\_\_  
Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
Diameter of hole 4 1/2 in. Depth drilled 140 ft. Depth of completed well 140 ft. Date drilled 6-8-69  
All measurements made from -0- ft. above ground level.

From To Description and color of  
(ft.) (ft.) formation material

0-30 RED SANDY CLAY  
30-32 SAND  
32-122 WHITE CLAY  
122-140 WHITE SAND

9) Casing:  
Type: Old \_\_\_\_\_ New ☒ Steel \_\_\_\_\_ Plastic ☒ Other \_\_\_\_\_  
Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Diameter Setting  
(inches) 2 From (ft.) 0 To (ft.) 120 Gage 173

10) SCREEN:  
Type PLASTIC  
Perforated \_\_\_\_\_ Slotted ☒

Diameter Setting Slot  
(inches) 2 From (ft.) 120 To (ft.) 140 Size 1/4

(Use reverse side if necessary)

7) COMPLETION (Check):  
Straight wall ☒ Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

8) WATER LEVEL:  
Static level 32 ft. below land surface Date 6-8-69  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 60 ft.  
below land surface.

11) WELL TESTS:  
Was a pump test made? Yes \_\_\_\_\_ No ☒ If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Bailer test 10 gpm with 16 ft. drawdown after 2 hrs.  
Artesian flow \_\_\_\_\_ gpm  
Temperature of water \_\_\_\_\_

12) WATER QUALITY:  
Was a chemical analysis made? Yes \_\_\_\_\_ No ☒  
Did any strata contain undesirable water? Yes \_\_\_\_\_ No ☒  
Type of water? Good depth of strata 18

I hereby certify that this well was drilled by me (or under my supervision) and that  
each and all of the statements herein are true to the best of my knowledge and belief.

NAME THOMAS ANDERS Water Well Drillers Registration No. 1226  
(Type or Print)

ADDRESS RT 4 BOX 26 HUNTSVILLE TEX  
(Street or RFD) (City) (State)

(Signed) Thomas Anders THOMAS ANDERS  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

\*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
APR 7 1979  
Central Records  
Texas Water Development Board

TEXAS WATER  
DEVELOPMENT BOARD

DEC 2 1969

RECEIVED

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Dup

For TDWR use only  
Well No. 60-21-46  
Located on map 480 MM  
Received: \_\_\_\_\_

1) OWNER Don Auty Jr. (Name) Address F.M. 2929 (Street or RFD) Huntsville Texas 77340 (City) (State) (Zip)  
2) LOCATION OF WELL: County Walker 3 miles in EAST direction from Huntsville (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_

Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. Map on 60-21-5X

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☒ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:

DIAMETER OF HOLE

| Dia. (in.) | From (ft.)     | To (ft.)    |
|------------|----------------|-------------|
| <u>4"</u>  | <u>Surface</u> | <u>200"</u> |

Date drilled July 1983

7) BOREHOLE COMPLETION:

☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval ... from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

| From (ft.)               | To (ft.)       | Description and color of formation material |
|--------------------------|----------------|---|
| <u>2 ft.</u>             | <u>Surface</u> | <u>Sand</u>                                 |
| <u>2 ft. to 18 ft.</u>   | <u>18 ft.</u>  | <u>Red Clay</u>                             |
| <u>18 ft. to 60 ft.</u>  | <u>60 ft.</u>  | <u>Shell</u>                                |
| <u>60 ft. to 96 ft.</u>  | <u>96 ft.</u>  | <u>Sand "Dry"</u>                           |
| <u>96 ft. to 140 ft.</u> | <u>140 ft.</u> | <u>Blue Shell</u>                           |
| <u>140 " to 200</u>      | <u>200</u>     | <u>Sand</u>                                 |
| <u>120' to 140"</u>      | <u>140"</u>    | <u>Had Shell mixed with sand.</u>           |

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

| Dia. (in.)    | New or Used | Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial | Setting (ft.) |             | Gage Casing Screen                 |
|---------------|-------------|--|---------------|-------------|------------------------------------|
|               |             |  | From          | To          |                                    |
| <u>4 1/2"</u> | <u>New</u>  | <u>PVC Casing</u>  | <u>0</u>      | <u>150'</u> | <u>Casing</u>                      |
|               |             |  |               |             | <u>104' Bage Screen</u>            |
|               |             |  |               |             | <u>52 ft. Artesian Well Screen</u> |

CEMENTING DATA

Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Method used Hand (2 sacks of cement poured)  
Cemented by Self (Company or Individual)

9) WATER LEVEL:

Static level 100 ft. below land surface Date \_\_\_\_\_  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth

11) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., 150 ft.

13) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Was a chemical analysis made? ☐ Yes ☐ No

RECEIVED  
OCT 31 1983

DEPT. OF

I hereby certify that the data herein (under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Thomas Gary Andrus Jr. (Type or Print) Water Well Drillers Registration No. 1984

ADDRESS F.M. 2929 (Street or RFD) Huntsville (City) Texas (State) 77340 (Zip)

(Signed) Thomas Andrus Jr. (Water Well Driller) Andrus Well Service (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.



**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).

RECEIVED  
JUL 10 1978  
WATER WELL DRILLERS BOARD  
AUSTIN, TEXAS

#1

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT

For TDWR use only  
Well No. 60-21-46  
Located on map YES  
Received: C.F.S.

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Lee COCKERHAM (Name) Address PO Box 6126 HUNTSVILLE TX 77340 (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL: County WALKER 7 miles in E direction from HUNTSVILLE (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. map on 60-12-7L

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ ReConditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 3 Aug 83

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 3/4 Surface 240

7) BOREHOLE COMPLETION:  
☐ Open Hole ☐ Straight Wall ☐ Underreamed  
☒ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

0 54 White Clay  
54 108 White Clay & Shale  
108 144 Sand & Shale  
144 203 White Clay & Shale  
203 240 12 gauge sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

| Dia. (in.) | New or Used | Steel, Plastic, etc. Perf., Slotted, etc. Screen Mgt., if commercial | Setting (ft.) |     | Gage Casing Screen |
|------------|-------------|--|---------------|-----|--------------------|
|            |             |  | From          | To  |                    |
| 4          | N           | Sch 40 PVC   | 0             | 220 |                    |
| 4          | N           | MFC SCREEN   | 220           | 240 | .12                |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |

CEMENTING DATA  
Cemented from 0 ft. to 10 ft.  
Method used \_\_\_\_\_  
Cemented by CLEARWATER Well Service (Company or Individual)

9) WATER LEVEL:  
Static level 54 ft. below land surface Date 4 Aug 83  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS: Type Depth

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 140 ft.

12) WELL TESTS:  
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated  
Yield: 20 gpm with 0 ft. drawdown after 3 hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? good Depth of strata 46'  
Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Eugene M Poldrack Water Well Drillers Registration No. 2289 (Type or Print)  
ADDRESS 440 Graham Rd. HUNTSVILLE TX 77340 (Street or RFD) (City) (State) (Zip)  
(Signed) Eugene M Poldrack CLEARWATER Well Service (Water Well Driller) (Company Name)  
Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED  
NOV-9 1983  
DEPT. OF  
WATER RESOURCES

TDWR-0392 (Rev. 1-12-79)

DEPARTMENT OF WATER RESOURCES COPY

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087, Austin, Texas 78711).

04 FEB 1985

11:11 AM

10.7.79

0000.0000 0000



2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

TEXAS WATER  
DEVELOPMENT BOARD

DEC 2 1969

RECEIVED

RECEIVED  
APR 7 1970

Central Records  
Texas Water Development Board

43 Walker

Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087 Austin, Texas 78711

State of Texas  
WATER WELL REPORT  
ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

1) OWNER Mitch Garvey  
(Name)  
Address P.O. Box 933 Spring, TX 77383  
(Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:  
County Walker 4 miles in SW direction from Huntsville  
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:  
Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_  
Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_  
Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map. 60-20-4P

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_

5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 5/31/84

DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 165

7) BOREHOLE COMPLETION:  
☐ Open Hole ☒ Straight Wall ☐ Underreamed  
☐ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

From (ft.) To (ft.) Description and color of formation material

0-2 Top soil

2-15 Red clay

15-18 white clay

18-33 Sand

33-59 Brown clay

59-60 Rock

60-62 Brown clay

62-74 Blue clay

74-119 Sand streaks

119-122 Sand

122-132 Blue clay

132-135 Sand streaks

135-165 Sand

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

| Dia. (in.) | New or Used | Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial | Setting (ft.) |     | Gage Casing Screen |
|------------|-------------|--|---------------|-----|--------------------|
|            |             |  | From          | To  |                    |
| 4          | N           | Plastic  | -1 1/2        | 153 | 40                 |
| 2 1/2      | N           | PVC Undercut   | 154           | 164 | #12                |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |
|            |             |  |               |     |                    |

CEMENTING DATA  
Cemented from 153 ft. to 53 ft.  
Method used Pressure  
Cemented by Henry Lee  
(Company or Individual)

9) WATER LEVEL:  
Static level 82 ft. below land surface Date 6-1-84  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

10) PACKERS:  
Type Depth  
Lead L 149

RECEIVED  
JUL - 6 1984  
DEPT. OF  
WATER RESOURCES  
(Use reverse side for Remarks)

11) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 110 ft.

12) WELL TESTS:  
☐ Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

13) WATER QUALITY:  
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No  
If yes, submit "REPORT OF UNDESIRABLE WATER"  
Type of water? Good Depth of strata 30 Ft.  
Was a chemical analysis made? ☐ Yes ☐ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

COMPANY NAME Holly Water well Service Water Well Driller's License No. 2026/2221  
(Type or Print)

ADDRESS Rt. 11 Box 607 Huntsville, TX 77340  
(Street or RFD) (City) (State) (Zip)

(Signed) [Signature] (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only  
Well No. 60-20-4P  
Located on map 42-44

TDWR-0392 (Rev. 5-27-82)

DEPARTMENT OF WATER RESOURCES COPY

Dup

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every registered water well driller drilling, deepening, or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within sixty (60) days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential. Please note that the term "Commission" in the above-quoted section and elsewhere in the Water Well Drillers Act now properly means the Texas Department of Water Resources (P. O. Box 13087; Austin, Texas 78711).



Send original copy by  
certified mail to the  
Texas Water Development Board  
P. O. Box 12386  
Austin, Texas 78711


State of Texas

## WATER WELL REPORT

For TWDB use only  
Well No. 60-21-4E  
Located on map Y.C. 3  
Received: 6-8  
Form GW 8  
Form GW 9

1) OWNER:  
Person having well drilled Frank M Dobbs Address Hy 75 Huntsville, Texas  
(Name) (Street or RFD) (City) (State)  
Landowner Same Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County Walker Labor \_\_\_\_\_ League \_\_\_\_\_ Abstract No. \_\_\_\_\_  
NW  $\frac{1}{4}$  NE  $\frac{1}{4}$  SW  $\frac{1}{4}$  SE  $\frac{1}{4}$  of Section \_\_\_\_\_ Block No. \_\_\_\_\_ Survey \_\_\_\_\_  
(Circle as many as are known)  
miles in 3 S direction from Huntsville, Texas  
(NE, S.W., etc.) (Town)



Sketch map of well location with distances from adjacent section  
or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):  
New Well ☒ Deepening ☐  
Reconditioning ☐ Plugging ☐  
4) PROPOSED USE (Check):  
Domestic ☒ Industrial ☐ Municipal ☐  
Irrigation ☐ Test Well ☐ Other ☐  
5) TYPE OF WELL (Check):  
Rotary ☒ Driven ☐ Dug ☐  
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 141 ft. Depth of completed well 141 ft. Date drilled 8-1-68  
All measurements made from 0 ft. above ground level.

| From<br>(ft.) | To<br>(ft.) | Description and color of<br>formation material |
|---------------|-------------|--|
| 0             | 44          | Surface soil and Clay                          |
| 44            | 49          | fine white sand                                |
| 49            | 60          | white Clay                                     |
| 60            | 64          | white sand                                     |
| 64            | 116         | brown Clay                                     |
| 116           | 141         | white sand                                     |

| From<br>(ft.) | To<br>(ft.) | Description and color of<br>formation material |
|---------------|-------------|--|
|               |             |  |
|               |             |  |
|               |             |  |
|               |             |  |
|               |             |  |
|               |             |  |
|               |             |  |
|               |             |  |
|               |             | (Use reverse side if necessary)                |

7) COMPLETION (Check):  
Straight wall ☒ Gravel packed ☐ Other ☐  
Under reamed ☐ Open hole ☐

8) WATER LEVEL:  
Static level 75 ft. below land surface Date 7-2-68  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

9) CASING:  
Type: old ☐ New ☒ Steel ☐ Plastic ☐ Other ☐  
Cemented from 130 ft. to 50 ft.

10) SCREEN:  
Type Stainless Steel bar-weld  
Perforated ☐ Slotted ☐

| Diameter<br>(inches) | Setting    |          | Gage    |
|----------------------|------------|----------|---------|
|                      | From (ft.) | To (ft.) |         |
| 4                    | x-1        | 131      | Sch. 30 |
|                      |            |          |         |
|                      |            |          |         |

| Diameter<br>(inches) | Setting    |          | Slot<br>size |
|----------------------|------------|----------|--------------|
|                      | From (ft.) | To (ft.) |              |
| 2 1/2                | 131        | 141      | .10          |
|                      |            |          |              |
|                      |            |          |              |

## 11) WELL TESTS:

Was a pump test made? ☐ Yes ☐ No If yes by whom?

Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs

Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs

Artesian flow \_\_\_\_\_ gpm Date \_\_\_\_\_

Temperature of water \_\_\_\_\_

Was a chemical analysis made? ☐ Yes ☒ No

Did any strata contain undesirable water? ☐ Yes ☐ No

Type of water? good depth of strata \_\_\_\_\_

## 12) PUMP DATA:

Manufacturer's Name Ruth-Berry

Type Submersible H.P. 3/4

Designed pumping rate 900 gpm ☐ gph ☒

Type power unit Electric

Depth to bowls, cylinder, jet, etc., 115 ft.  
below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that  
each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Company  
(Type or Print)

Water Well Drillers Registration No. 801

Address Box 37  
(Street or RFD)

Riverside  
(City)

77367

Texas

(State)

(Signed) E.A. Holly  
(Water Well Driller)

E.A. Holly Company

(Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.



RECEIVED  
SEP 3 1968

Central Records  
Texas Water Development Board

RECEIVED  
AUG 5 1968  
TEXAS WATER  
DEVELOPMENT BOARD

Send original copy by  
certified mail to the  
Texas Water Development Board  
P. O. Box 12386  
Austin, Texas 78711

State of Texas

## WATER WELL REPORT

For TWDB use only  
Well No. LC 21-40  
Located on map 4-5  
Received: 6/1  
Form GW 8  
Form GW 9

1) OWNER:  
Person having well drilled Mr Paul McGarr Address Box 816 Huntsville, Texas  
(Name) (Street or RFD) (City) (State)  
Landowner Same Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL  
County Walker Labor \_\_\_\_\_ League \_\_\_\_\_ Abstract No. \_\_\_\_\_  
NW  $\frac{1}{4}$  NE  $\frac{1}{4}$  SW  $\frac{1}{4}$  SE  $\frac{1}{4}$  of Section \_\_\_\_\_ Block No. HUNTSVILLE Survey \_\_\_\_\_  
(Circle as many as are known)

miles in 3 S direction from Huntsville, Texas  
(NE, SW, etc.) (Town)

Sketch map of well location with distances from adjacent section  
or survey lines, and to landmarks, roads, and creeks.

3) TYPE OF WORK (Check):  
New Well ☒ Deepening ☐  
Reconditioning ☐ Plugging ☐  
4) PROPOSED USE (Check):  
Domestic ☒ Industrial ☐ Municipal ☐  
Irrigation ☐ Test Well ☐ Other ☐  
5) TYPE OF WELL (Check):  
Rotary ☒ Driven ☐ Dug ☐  
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:  
Diameter of hole 6 1/2 in. Depth drilled 179 ft. Depth of completed well 179 ft. Date drilled 7-25-68  
All measurements made from 0 ft. above ground level.

| From<br>(ft.) | To<br>(ft.) | Description and color of<br>formation material |
|---------------|-------------|--|
| 0             | 15          | surface soil and clay gray                     |
| 15            | 23          | Sand   |
| 23            | 30          | Brown Clay                                     |
| 30            | 35          | White sand                                     |
| 35            | 63          | Brown Clay                                     |
| 63            | 68          | White sand                                     |
| 68            | 154         | Brown Clay                                     |
| 154           | 179         | white sand                                     |

| From<br>(ft.) | To<br>(ft.) | Description and color of<br>formation material |
|---------------|-------------|--|
|               |             |  |
|               |             |  |
|               |             |  |
|               |             |  |
|               |             |  |
|               |             |  |
|               |             |  |
|               |             | (Use reverse side if necessary)                |

7) COMPLETION (Check):  
Straight wall ☒ Gravel packed ☐ Other ☐  
Under reamed ☐ Open hole ☐

8) WATER LEVEL: 105  
Static level \_\_\_\_\_ ft. below land surface Date 7-27-68  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

9) CASING:  
Type: old ☐ New ☒ Steel ☒ Plastic ☐ Other ☐  
Cemented from 168 ft. to 100 ft.

10) SCREEN:  
Type bar-weld stainless steel  
Perforated ☐ Slotted ☐

| Diameter<br>(inches) | Setting    |          | Gage    |
|----------------------|------------|----------|---------|
|                      | From (ft.) | To (ft.) |         |
| 4                    | x-1        | 168      | sch. 30 |
|                      |            |          |         |
|                      |            |          |         |

| Diameter<br>(inches) | Setting    |          | Slot<br>size |
|----------------------|------------|----------|--------------|
|                      | From (ft.) | To (ft.) |              |
| 2 1/2                | 168        | 179      | 10           |
|                      |            |          |              |
|                      |            |          |              |

11) WELL TESTS:  
Was a pump test made? ☐ Yes ☒ No If yes by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs  
Artesian flow \_\_\_\_\_ gpm Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_  
Was a chemical analysis made? ☐ Yes ☒ No  
Did any strata contain undesirable water? ☐ Yes ☐ No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_

12) PUMP DATA:  
Manufacturer's Name Ruth-Berry  
Type Submersible H.P. \_\_\_\_\_  
Designed pumping rate 600 gpm ☐ gph ☒  
Type power unit Electric  
Depth to bowls, cylinder, jet, etc., 160 ft.  
below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that  
each and all of the statements herein are true to the best of my knowledge and belief.

NAME E.A. Holly Water Well Drillers Registration No. 801  
(Type or Print)  
Address Box 37 Riverside 77367 Texas  
(Street or RFD) (City) (State)  
(Signed) E.A. Holly E.A. Holly Company  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

RECEIVED  
SEP 3 1968

Central Records  
Texas Water Development Board

RECEIVED  
AUG 7 1968  
TEXAS WATER  
DEVELOPMENT BOARD

Send original copy by certified mail to the Texas Water Development Board P. O. Box 12386 Austin, Texas 78711

State of Texas


## WATER WELL REPORT

For TWDB use only  
Well No. 60-21-40  
Located on map yes  
Received: 68  
Form GW 8  
Form GW 9

1) OWNER:  
Person having well drilled AMBUS WYATT Address GEN. DEL. HUNTSVILLE TEX.  
(Name) (Street or RFD) (City) (State)  
Landowner (SAME) Address \_\_\_\_\_  
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
County WALKER Labor \_\_\_\_\_ League \_\_\_\_\_ Abstract No. 212  
NW  $\frac{1}{4}$  NE  $\frac{1}{4}$  SW  $\frac{1}{4}$  SE  $\frac{1}{4}$  of Section \_\_\_\_\_ Block No. \_\_\_\_\_ Survey \_\_\_\_\_  
(Circle as many as are known)  
5 miles in S direction from HUNTSVILLE  
(NE, SW, etc.) (Town)

Sketch map of well location with distances from adjacent section or survey lines, and to landmarks, roads, and creeks.



3) TYPE OF WORK (Check):  
New Well ☒ Deepening ☐  
Reconditioning ☐ Plugging ☐  
4) PROPOSED USE (Check):  
Domestic ☒ Industrial ☐ Municipal ☐  
Irrigation ☐ Test Well ☐ Other ☐  
5) TYPE OF WELL (Check):  
Rotary ☒ Driven ☐ Dug ☐  
Cable ☐ Jetted ☐ Bored ☐

6) WELL LOG:  
Diameter of hole 3 1/2 in. Depth drilled 200 ft. Depth of completed well 200 ft. Date drilled 4-9-68  
All measurements made from 0 ft. above ground level.

| From (ft.)                      | To (ft.) | Description and color of formation material | From (ft.) | To (ft.) | Description and color of formation material |
|---------------------------------|----------|---|------------|----------|---|
| 0                               | 1        | TOP SOIL                                    | 178        | 200      | SAND  |
| 1                               | 9        | YELLOW SHALE                                |            |          |   |
| 9                               | 11       | SAND  |            |          |   |
| 11                              | 53       | WHITE SHALE                                 |            |          |   |
| 53                              | 78       | SAND  |            |          |   |
| 78                              | 129      | YELLOW SHALE                                |            |          |   |
| 129                             | 175      | WHITE SHALE                                 |            |          |   |
| 175                             | 178      | WHITE ROCK                                  |            |          |   |
| (Use reverse side if necessary) |          |   |            |          |   |

7) COMPLETION (Check):  
Straight wall ☒ Gravel packed ☐ Other ☐  
Under reamed ☐ Open hole ☐  
8) WATER LEVEL:  
Static level 118 ft. below land surface Date 4-10-68  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

9) CASING:  
Type: old ☐ New ☒ Steel ☐ Plastic ☒ Other ☐  
Cemented from 0 ft. to 175 ft.  
10) SCREEN:  
Type PLASTIC  
Perforated ☐ Slotted ☐

| Diameter (inches) | Setting         |          | Gage             | Diameter (inches) | Setting    |          | Slot size |
|-------------------|-----------------|----------|------------------|-------------------|------------|----------|-----------|
|                   | From (ft.)      | To (ft.) |                  |                   | From (ft.) | To (ft.) |           |
| 2                 | 1' ABOVE GROUND | 190      | STANDARD SEA #40 | 2                 | 190        | 200      | #12       |
|                   |                 |          |                  |                   |            |          |           |
|                   |                 |          |                  |                   |            |          |           |

11) WELL TESTS:  
Was a pump test made? ☒ Yes ☐ No If yes by whom?  
JAMES H. SUGG JR.  
Yield: 3.4 gpm with 11 ft. drawdown after 4 hrs  
Bailer test \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs  
Artesian flow \_\_\_\_\_ gpm Date 4-10-68  
Temperature of water \_\_\_\_\_  
Was a chemical analysis made? ☐ Yes ☒ No  
Did any strata contain undesirable water? ☐ Yes ☒ No  
Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_  
12) PUMP DATA:  
Manufacturer's Name RUTH BERRY  
Type JP2D JET H.P. 3/4  
Designed pumping rate 200 gpm ☐ gph ☒  
Type power unit ELECTRIC  
Depth to bowls, cylinder, jet, etc., 140 ft. below land surface.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME JAMES H. SUGG JR. Water Well Drillers Registration No. 1006  
(Type or Print)  
Address 6705 THORNWALL HOUSTON TEXAS  
(Street or RFD) (City) (State)  
(Signed) James H. Sugg Jr. SUGG & SMITH DRILLING CO.  
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

10

RECEIVED

JUN - 6 1968

Central Records  
Texas Water Development Board

140

TEXAS WATER  
DEVELOPMENT BOARD

JUN 28 1968

RECEIVED

1) Well Owner: W. Terrell

2) Land Owner: William Terrell

3) Intended use: Industrial ☐ ;Municipal ☐ ;Irrigation ☐ ;Other Residence

4) Location of well: County Wacker Labor \_\_\_\_\_ League \_\_\_\_\_ Abstract No. \_\_\_\_\_


Street or RFD  
Huntsville, Texas

City  
Huntsville

State  
Texas

NW  $\frac{1}{4}$  NE  $\frac{1}{4}$  SW  $\frac{1}{4}$  SE  $\frac{1}{4}$  of Section \_\_\_\_\_ Block No. \_\_\_\_\_ Survey \_\_\_\_\_

(Circle as many as are known)



DRILLERS LOG OF WELL

Method of drilling: Rotary Diameter of hole 6 3/4 in. Date drilled 9-28-64

All measurements made from 3-6 ft. above ground level.

| From (ft) | To (ft) | Description and color of formation material | From (ft) | To (ft) | Description and color of formation material |
|-----------|---------|---|-----------|---------|---|
| 0         | 16      | Clay (Red)                                  | 157       | 169     | Sand (Salt & Pepper)                        |
| 16        | 54      | White Clay & Sand                           | 169       | 196     | Sand & Sandy shale                          |
| 54        | 60      | Clay (white)                                | 196       | 234     | Sand (Grainy)                               |
| 60        | 75      | Sand "                                      | 234       | 236     | Shale                                       |
| 75        | 103     | Sand & Clay (white)                         |           |         |   |
| 103       | 126     | Clay & Gravel Strunks                       |           |         |   |
| 126       | 142     | Clay & Sandy fine Strunks                   |           |         |   |
| 142       | 157     | Shale (Brown)                               |           |         |   |

(Use continuation sheets if necessary)

COMPLETION DATA

COMPLETION

CASING

SCREEN

Straight wall ☒

Under reamed ☐

Gravel packed ☐

Open hole ☐

Other \_\_\_\_\_

Type: Old ☐ New ☒

Cemented from \_\_\_\_\_ ft.

to \_\_\_\_\_ ft.

| Diameter (inches) | Setting from (ft) | Setting to (ft) |
|-------------------|-------------------|-----------------|
| 4"                | 0                 | 222             |

Type Stainless Steel

Perforated ☒ Slotted ☐

Under bar & wrapped.

| Diameter (inches) | Setting from (ft) | Setting to (ft) |
|-------------------|-------------------|-----------------|
| 3"                | 222               | 232             |

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

Bruce Davis

Can-Tex Water Well Co

Reg. No. 717

Please attach electric log, chemical analysis, and other pertinent information if available.

If well was tested by your company or if you installed the permanent pump please complete the following:

WATER LEVEL AND PUMP DATA

Static water level 104'  
ft. below G.L.

Pump type Submersible

Designed pumping rate 670 gpm ☐ gph ☒

Type power unit Peda Suburban 17D9P101

Horsepower 1

Depth to bowls, cylinder, jet, etc., 195 ft. below pump base.

| feet | hours | gpm          |
|------|-------|--------------|
|      |       | 3 1/4 Gal in |
|      |       | 20 Sec.      |

Name of contractor testing well or installing permanent pump if other than your company: \_\_\_\_\_


RECEIVED

OCT 21 1964

ENGINEERING RECORDS  
TEXAS WATER COMMISSION

RECEIVED  
OCT 20 1964

TEXAS WATER COMMISSION  
AUSTIN, TEXAS

|  |  |  |   |  |   |
|--|--|--|---|--|---|
| File original copy with<br>Texas Water Commission<br>P. O. Box 2311, Capitol Station<br>Austin 11, Texas   | State of Texas<br><br><b>DRILLERS LOG AND WELL DATA REPORT</b> | For use by TWC only<br>Well No. <u>60-21-4a</u><br>Located on map <u>422</u><br>By <u>JW</u> Date <u>6-4</u><br>Map no. <u>236</u> |   |  |   |
| <div>1) Well Owner: <u>Billy Ware</u> <span style="float:right"><u>Huntsville</u> <u>Texas</u></span></div> <div>2) Land Owner: _____ <span style="float:right">_____</span></div> <div>3) Intended use: Industrial <input type="checkbox"/> ;Municipal <input type="checkbox"/> ;Irrigation <input type="checkbox"/> ;Other <u>Resident</u></div> <div>4) Location of well: County <u>Walker</u> Labor _____ League _____ Abstract No. _____</div> <div>NW <sup>1</sup>/<sub>4</sub> NE <sup>1</sup>/<sub>4</sub> SW <sup>1</sup>/<sub>4</sub> SE <sup>1</sup>/<sub>4</sub> of Section _____ Block No. _____ Survey _____</div> <div><small>(Circle as many as are known)</small></div> |  |  |   |  |   |
| <div>4 miles in <u>S</u> direction</div> <div>from <u>Huntsville</u> <span style="float:right"><u>HIWAY 75</u> <input type="checkbox"/> <u>HUNTSVILLE</u> <u>TEXAS</u></span></div> <div style="text-align: center;"></div> <div>Sketch map of well location with distances from two section or survey lines, and to landmarks, roads, and creeks.</div>  |  |  |   |  |   |
| <b>DRILLERS LOG OF WELL</b>  |  |  |   |  |   |
| Method of drilling: <u>Rotary</u> Diameter of hole <u>4</u> in. Date drilled _____   |  |  |   |  |   |
| All measurements made from <u>0</u> ft. above ground level.  |  |  |   |  |   |
| From (ft)  | To (ft)  | Description and color of formation material  | From (ft)   | To (ft)  | Description and color of formation material |
| 0  | 10   | Surface Soil Gray  | 190   | 195  | Brown Shale                                 |
| 10   | 25   | Sand White   |   |  |   |
| 25   | 30   | Clay Brown   |   |  |   |
| 30   | 35   | Sand White   |   |  |   |
| 35   | 48   | Clay Brown   |   |  |   |
| 48   | 70   | Sand White   |   |  |   |
| 70   | 157  | Clay Brown   |   |  |   |
| 157  | 190  | Sand White (Well made Here)  |   |  |   |
| <small>(Use continuation sheets if necessary)</small>  |  |  |   |  |   |
| <b>COMPLETION DATA</b>   |  |  |   |  |   |
| COMPLETION   |  | CASING   |   | SCREEN   |   |
| Straight wall <input checked="" type="checkbox"/>  |  | Type: Old <input type="checkbox"/> New <input checked="" type="checkbox"/>   |   | Type <u>Bar-Lug</u>  |   |
| Under reamed <input type="checkbox"/>  |  | Cemented from <u>180</u> ft.   |   | Perforated <input type="checkbox"/> Slotted <input type="checkbox"/> |   |
| Gravel packed <input type="checkbox"/>   |  | to <u>100</u> ft.  |   |  |   |
| Open hole <input type="checkbox"/>   |  | Diameter (inches)  |   | Diameter (inches)  |   |
| Other _____  |  | Setting  |   | Setting  |   |
|  |  | from (ft) to (ft)  |   | from (ft) to (ft)  |   |
|  |  | <u>4</u> - <u>0</u> <u>180</u>   |   | <u>2 1/2</u> <u>180</u> <u>190</u>                                   |   |
|  |  |  |   |  |   |
|  |  |  |   |  |   |
|  |  |  |   |  |   |
| I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.  |  |  |   |  |   |
| <u>E.A. Hall</u> <small>Signature</small>  |  | <u>Holly Mining Co</u> <small>Company Name</small>   |   | Reg. No. <u>443</u>  |   |
| Please attach electric log, chemical analysis, and other pertinent information if available.   |  |  |   |  |   |
| If well was tested by your company or if you installed the permanent pump please complete the following:   |  |  |   |  |   |
| <b>WATER LEVEL AND PUMP DATA</b>   |  |  |   |  |   |
| Static water level <u>115</u> ft. below <u>surface</u>   |  |  | Pump type <u>Submersible</u>  |  |   |
| Pumping level  |  |  | Designed pumping rate <u>768</u> gpm <input type="checkbox"/> gph <input checked="" type="checkbox"/> |  |   |
| feet   | hours  | gpm  | Type power unit <u>Electric</u>   |  |   |
|  |  |  | Horsepower <u>3/4</u>   |  |   |
|  |  |  | Depth to bowls, cylinder, jet, etc., <u>178</u> ft. below pump base.                                  |  |   |
| Name of contractor testing well or installing permanent pump if other than your company: _____   |  |  |   |  |   |
| C-34 (62-4)  |  |  |   |  |   |



100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

RECEIVED

AUG 12 1964

ENGINEERING RECORDS  
TEXAS WATER COMMISSION

RECEIVED  
JUL 27 1964